



DRM-BL 90

DRM-BL-90 (4-Position Adjustable Headrest Mechanism)

DRM-BL-90 (4-Position Adjustable Headrest Mechanism) is a professional adjustment mechanism developed for adjustable headrests used in sofas, lounge furniture and upholstered seating systems. The mechanism moves smoothly from a 90° starting position to a fully extended 180° resting position, providing ergonomic head support and enhanced seating comfort.



DESCRIPTION

Its **4-position indexed ratchet system** advances in **22.5-degree increments**, allowing users to select the most comfortable headrest angle. On the **fifth movement**, the locking mechanism automatically releases into the **free position**, returning the headrest smoothly to its original **90° starting position**. This operating principle provides simple adjustment and reliable long-term performance.

The distinctive feature of the **DRM-BL-90** is its visible connecting element. Unlike conventional headrest mechanisms that use a **round steel rod**, this model features a **flat steel bar**, creating a cleaner appearance while complementing contemporary furniture designs. It is available in **matte black** and **nickel-plated** finishes.

Due to its structural design, **the DRM-BL-90 is recommended exclusively for headrest applications and is not intended for use in armrests.**

DISCLAIMER

The information contained in this Technical Data Sheet is based on laboratory testing, practical experience and current knowledge at the time of publication. The values provided are intended as general guidance and may vary depending on application methods, operating conditions, substrates, environmental factors and production processes.

Since the conditions of use and application are beyond our control, customers are responsible for determining the suitability of the product for their specific application through their own testing and evaluation. The information provided does not constitute a warranty or guarantee of product performance in any particular application.

Product specifications, formulations and technical data may be modified without prior notice as part of continuous product development and improvement programs. The latest version of this document supersedes all previous editions.

For additional technical information, application recommendations or specific processing conditions, please contact our technical service department.

