DRM-AMRTSR-GAS

DRM-AMRTSR-GAS (Gas Spring for Storage Bed Mechanisms)

DRM-AMRTSR-GAS (Gas Spring for Storage Bed Mechanisms) is a high-performance gas spring engineered to operate in synchronization with storage bed lifting mechanisms. It provides smooth, controlled and balanced opening and closing of the bed base, improving user comfort while ensuring reliable and efficient operation of the lifting system.



DESCRIPTION

Available in **force ratings ranging from 200 N to 1500 N**, the gas spring can be selected according to the weight and dimensions of the bed platform. Choosing the correct force ensures balanced lifting, controlled closing and extended service life for the complete mechanism.

Its durable steel cylinder and long-life gas pressure system are designed for intensive daily use, offering reliable lifting performance, enhanced safety and long-term durability in both residential and commercial storage bed applications.

DRM-AMRTSR-GAS is the ideal gas spring solution for professional furniture manufacturers seeking dependable performance, smooth operation and long-lasting reliability.

DISCLAIMER

The information contained in this Technical Data Sheet is based on laboratory testing, practical experience and current knowledge at the time of publication. The values provided are intended as general guidance and may vary depending on application methods, operating conditions, substrates, environmental factors and production processes.

Since the conditions of use and application are beyond our control, customers are responsible for determining the suitability of the product for their specific application through their own testing and evaluation. The information provided does not constitute a warranty or guarantee of product performance in any particular application.

Product specifications, formulations and technical data may be modified without prior notice as part of continuous product development and improvement programs. The latest version of this document supersedes all previous editions.

For additional technical information, application recommendations or specific processing conditions, please contact our technical service department.