



DRM - BZMKS - KLT

DRM-BZMKS-KLT (Locking Storage Bed Mechanism)

DRM-BZMKS-KLT (Locking Storage Bed Mechanism) is a professional lifting mechanism designed to provide smooth, balanced and controlled opening and closing of storage bed bases. Engineered to operate in synchronization with gas springs, it features an integrated safety locking system that offers additional protection beyond standard lifting mechanisms.



DESCRIPTION

While the gas spring ensures effortless lifting and controlled closing of the bed platform, the integrated locking mechanism helps prevent accidental closing during loading, maintenance or everyday use, providing enhanced user safety. Compatible with gas springs of various **force ratings (Newton values)**, it can be adapted to different bed sizes and platform weights.

DRM-BZMKS-KLT is an ideal solution for residential storage beds, hotel furniture, contract projects and professional furniture manufacturing where maximum safety, durability and reliable lifting performance are essential.

DISCLAIMER

The information contained in this Technical Data Sheet is based on laboratory testing, practical experience and current knowledge at the time of publication. The values provided are intended as general guidance and may vary depending on application methods, operating conditions, substrates, environmental factors and production processes.

Since the conditions of use and application are beyond our control, customers are responsible for determining the suitability of the product for their specific application through their own testing and evaluation. The information provided does not constitute a warranty or guarantee of product performance in any particular application.

Product specifications, formulations and technical data may be modified without prior notice as part of continuous product development and improvement programs. The latest version of this document supersedes all previous editions.

For additional technical information, application recommendations or specific processing conditions, please contact our technical service department.

